ICS 25.160.01 J 33



## National Standard of the People's Republic of China

GB/T 985.1-2008

Replace GB/T 985—1988

## Recommended Joint Preparation for Gas Welding, Manual Metal Arc Welding, Gas-shield Arc Welding and Beam Welding

(ISO 9692-1:2003, Welding and Allied Processes--Recommendations for Joint Preparation—Part 1: Manual Metal Arc Welding, Gas-Shield Arc Welding, Gas Welding, TIG Welding and Beam Welding of Steels, MOD)

Issued on March 31, 2008

Implemented on September 1, 2008

Jointly issued by Issued by the General Administration of Quality Supervision, Inspection and Quarantine and the Standardization Administration of the People's Republic of China

## **Foreword**

The standard GB/T 985 is divided as following 4 parts:

- GB/T 985.1 Recommended Joint Preparation for Gas Welding, Manual Metal Arc Welding, Gas-shield Arc Welding and Beam Welding;
- GB/T 985.2 Recommended Joint Preparation for Submerged Arc Welding;
- GB/T 985.3 Recommended Joint Preparation for Gas-shield Arc Welding on Aluminum and Its Alloys;
- GB/T 985.4 Recommended Joint Preparation for Welding on Clad Steels

The standard GB/T 985.1 is referred to Part 1.

corresponding Chinese national standards;

The part is modified partially in relation to ISO 9692-1:2003, "Welding and allied processes--Recommendations for Joint Preparation-Part 1: Manual Metal Arc Welding, Gas-Shield Arc Welding, Gas Welding, TIG Welding and Beam Welding of Steels" (English edition).

The part is redrafted reference to ISO 9692-1: 2003. There are some technical content changes in this national standard over ISO 9692-1: 2003 in the following technical aspects:

——Appendix A is added.
In order to facilitate the application, the part has following editorial revisions:
——The foreword of the international standard is canceled;
——The standard name is changed to "Recommended Joint Preparation for Gas Welding, Manual Metal Arc Welding, Gas-shield Arc Welding and Beam Welding";
—Other international standards referred by ISO 9692-1: 2003, that the standard is identical to or is modified in relation to, shall be replaced to

It is the end of preview.

Should you need the full text,
please sign in and place an order